

## CBD Broad Spectrum Distillate

<b>Batch ID:</b>	0600006	<b>Test ID:</b>	T000147257
<b>Type:</b>	Concentrate	<b>Submitted:</b>	06/22/2021 @ 09:01 AM
<b>Test:</b>	Residual Solvents	<b>Started:</b>	6/22/2021
<b>Method:</b>	TM04	<b>Reported:</b>	6/23/2021

## RESIDUAL SOLVENTS

Solvent	Dynamic Range (ppm)	Result (ppm)
<b>Propane</b>	88 - 1765	*ND
<b>Butanes</b> (Isobutane, n-Butane)	185 - 3701	*ND
<b>Methanol</b>	61 - 1223	*ND
<b>Pentane</b>	75 - 1510	*ND
<b>Ethanol</b>	92 - 1843	*ND
<b>Acetone</b>	93 - 1862	*ND
<b>Isopropyl Alcohol</b>	104 - 2074	*ND
<b>Hexane</b>	5 - 108	*ND
<b>Ethyl Acetate</b>	95 - 1904	*ND
<b>Benzene</b>	0.2 - 3.8	*ND
<b>Heptanes</b>	88 - 1768	*ND
<b>Toluene</b>	18 - 351	*ND
<b>Xylenes</b> (m,p,o-Xylenes)	128 - 2559	*ND

\* ND = None Detected (Defined by Dynamic Range of the method)

## NOTES:

N/A

## FINAL APPROVAL

Sam Smith  
23-Jun-2021  
1:37 PMMichele Gagnon  
23-Jun-2021  
1:38 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02

prepared for: Infusionz

4986 Morrison Road  
STE C  
Denver CO 80219

## CBD Broad Spectrum Distillate


<b>Batch ID:</b>	0600006	<b>Test ID:</b>	T000147256
<b>Type:</b>	Concentrate	<b>Submitted:</b>	06/22/2021 @ 09:01 AM
<b>Test:</b>	Metals	<b>Started:</b>	6/24/2021
<b>Method:</b>	TM19	<b>Reported:</b>	6/25/2021

## HEAVY METALS

Analyte	Dynamic Range (ppm)	Result (ppm)
Arsenic	0.045 - 4.52	ND
Cadmium	0.044 - 4.40	ND
Mercury	0.046 - 4.61	ND
Lead	0.041 - 4.06	ND

\* ND = None Detected (Defined by Dynamic Range of the method)

## FINAL APPROVAL

  
Samantha Smith  
25-Jun-2021  
11:28 AM

PREPARED BY / DATE

  
Daniel Weidensaul  
25-Jun-2021  
11:33 AM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

## Broad Spectrum Distillate

<b>Batch ID:</b>	0600006	<b>Test ID:</b>	T000146650
<b>Type:</b>	Concentrate	<b>Submitted:</b>	06/16/2021 @ 09:14 AM
<b>Test:</b>	Pesticides	<b>Started:</b>	6/17/2021
<b>Method:</b>	TM17	<b>Reported:</b>	6/18/2021

## PESTICIDE RESIDUE

Compound	Dynamic Range (ppb)	Result (ppb)	Compound	Dynamic Range (ppb)	Result (ppb)
Acephate	40 - 2598	ND*	Malathion	304 - 2598	ND*
Acetamiprid	38 - 2598	ND*	Metalaxyl	46 - 2598	ND*
Abamectin	>465	ND*	Methiocarb	43 - 2598	ND*
Azoxystrobin	47 - 2598	ND*	Methomyl	42 - 2598	ND*
Bifenazate	44 - 2598	ND*	MGK 264 1	186 - 2598	ND*
Boscalid	46 - 2598	ND*	MGK 264 2	131 - 2598	ND*
Carbaryl	41 - 2598	ND*	Myclobutanil	43 - 2598	ND*
Carbofuran	41 - 2598	ND*	Naled	43 - 2598	ND*
Chlorantraniliprole	46 - 2598	ND*	Oxamyl	39 - 2598	ND*
Chlorpyrifos	44 - 2598	ND*	Paclobutrazol	43 - 2598	ND*
Clofentezine	293 - 2598	ND*	Permethrin	309 - 2598	ND*
Diazinon	289 - 2598	ND*	Phosmet	39 - 2598	ND*
Dichlorvos	>287	ND*	Prophos	296 - 2598	ND*
Dimethoate	40 - 2598	ND*	Propoxur	41 - 2598	ND*
E-Fenpyroximate	311 - 2598	ND*	Pyridaben	306 - 2598	ND*
Etofenprox	48 - 2598	ND*	Spinosad A	32 - 2598	ND*
Etoxazole	328 - 2598	ND*	Spinosad D	87 - 2598	ND*
Fenoxycarb	>39	ND*	Spiromesifen	>305	ND*
Fipronil	37 - 2598	ND*	Spirotetramat	>303	ND*
Flonicamid	41 - 2598	ND*	Spiroxamine 1	18 - 2598	ND*
Fludioxonil	>295	ND*	Spiroxamine 2	23 - 2598	ND*
Hexythiazox	37 - 2598	ND*	Tebuconazole	305 - 2598	ND*
Imazalil	296 - 2598	ND*	Thiacloprid	40 - 2598	ND*
Imidacloprid	37 - 2598	ND*	Thiamethoxam	39 - 2598	ND*
Kresoxim-methyl	47 - 2598	ND*	Trifloxystrobin	46 - 2598	ND*

\* ND = None Detected (Defined by Dynamic Range of the method)

N/A

## FINAL APPROVAL


 Sam Smith  
 18-Jun-2021  
 11:00 AM


 Michele Gagnon  
 18-Jun-2021  
 11:02 AM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.