

## PharmLabs San Diego Certificate of Analysis



3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-000098-LIC  
ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368

Sample **25mg BS Ashwaganda 2208ASHWAG**

Sample ID	SD220908-053 (52158)	Matrix	Edible (Other Cannabis Good)
Tested for	Infuzionz		
Sampled	-	Received	Sep 08, 2022
		Reported	Sep 12, 2022
Analyses executed	CAN+	Unit Mass (g)	22.536
		Serving Size (g)	4.507

Laboratory note: Note: 5 Gummies per package

## CAN+ - Cannabinoids Analysis

Analyzed Sep 10, 2022 | Instrument HPLC-VWD | Method SOP-001

Measurement Uncertainty at 95% confidence 7.806%

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Serving	Result mg/Package
Cannabidiol (CBD)	0.039	0.16	0.00	0.05	0.21	1.06
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND	ND	ND
Cannabigerol (CBG)	0.001	0.16	0.02	0.17	0.77	3.83
Cannabidiol (CBD)	0.001	0.16	0.71	7.11	32.05	160.25
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND	ND	ND
Cannabinol (CBN)	0.001	0.16	0.02	0.17	0.75	3.74
Tetrahydrocannabinol ( $\Delta$ 9-THC)	0.003	0.16	ND	ND	ND	ND
$\Delta$ 8-tetrahydrocannabinol ( $\Delta$ 8-THC)	0.004	0.16	ND	ND	ND	ND
Cannabicyclol (CBL)	0.002	0.16	ND	ND	ND	ND
Cannabichromene (CBC)	0.002	0.16	ND	ND	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND	ND	ND
Total THC (THCa * 0.877 + THC)			ND	ND	0.00	ND
Total CBD (CBDA * 0.877 + CBD)			0.71	7.11	32.05	160.25
Total CBG (CBGA * 0.877 + CBG)			0.02	0.17	0.77	3.83
TOTAL CANNABINOIDS			0.75	7.50	33.80	168.88

UI Not Identified  
ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Lab Manager  
Mon, 12 Sep 2022 09:53:04 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1